

HIGH SPEED TABLE FANS



For Internal Circulation

FINESTA NEO HST

HIGH SPEED TABLE FAN



2100
RPM

40 cm
SWEEP

2 YEARS
WARRANTY



Black



Blue white



Orange black

- 
Inbuilt overheat/
overload protection
- 
Triangular base for
better stability
- 
Powerful and energy
efficient motor
- 
CRNO lamination for
optimum power
consumption & durability
- 
Super enamelled high
purity copper used in
the motor winding

 Sweep
40 cm

Rated Power
120 W

Rated Air Delivery
85 m³/min

Speed
2100 RPM

NORMAL SPEED TABLE FANS



For Internal Circulation


FINESTA TF PLUS

NORMAL SPEED TABLE FAN


1350
RPM

40 cm
SWEEP


2 YEARS
WARRANTY



White Red



White Blue



White



Inbuilt overheat/
overload protection



Jerk free and
smooth oscillation



Corrosion resistant
powder coated
metal guard



Sweep
40 cm

Rated Power
55 W

Rated Air Delivery
70 m³/min

Speed
1350 RPM

63

FINESTA TF NEO II

NORMAL SPEED TABLE FAN

1350
RPM

40 cm
SWEEP

2 YEARS
WARRANTY



White Red



White Blue



White Green



White



Inbuilt overheat/
overload protection



Jerk free and
smooth oscillation



Triangular base for
better stability



Powerful and energy
efficient motor



CRMO lamination for
optimum power
consumption & durability



Sweep
40 cm

Rated Power
60 W

Rated Air Delivery
68 m³/min

Speed
1350 RPM

64


ENTER TF

NORMAL SPEED TABLE FAN

1350
RPM

40 cm
SWEEP

2 YEARS
WARRANTY



Blue white



White



Inbuilt overheat/
overload protection



Jerk free and
smooth oscillation



Corrosion resistant
powder coated
metal guard



Aerodynamically
designed blades



Sweep
40 cm

Rated Power
60 W

Rated Air Delivery
68 m³/min

Speed
1350 RPM

65

TOWER FAN SEGMENT

For Internal Circulation



VEE MAGIK NEO

HIGH AIR VELOCITY TOWER FAN

**1330
RPM**

**43.5 cm
SWEEP**

**2 YEARS
WARRANTY**



Grey White



White



Inbuilt overheat/
overload protection



Jerk free and
smooth oscillation



Powerful
air delivery



3 speed choices

Sweep
43.5 cm

Rated Power
185 W

Rated Air Delivery
68 m³/min

Speed
1330 RPM

102

VENTILATING – GLASS, WALL, CEILING MOUNTING FANS

For Internal Circulation

